

# 26|27 Alpine Ski Spec

| Item Number         | Product             | System plate   | Sidecut (mm) | Ski Length (cm) | Radius (m) | BMP (mm from end) | Weight per piece (g/ski) |
|---------------------|---------------------|----------------|--------------|-----------------|------------|-------------------|--------------------------|
| Race                |                     |                |              |                 |            |                   |                          |
| A06825              | RC4 Noize           | M-Plate        | 110-66-99    | 168             | 14.5       | 725               | 2250                     |
| A06825              | RC4 Noize           | M-Plate        | 111-66-100   | 173             | 15         | 748               | 2300                     |
| A06825              | RC4 Noize           | M-Plate        | 112-66-101   | 178             | 15.5       | 770               | 2420                     |
| A06825              | RC4 Noize           | M-Plate        | 113-66-102   | 183             | 16         | 792               | 2500                     |
| A06125              | RC4 Noize LT Pro    | M-Plate        | 107-66-95    | 168             | 17         | 735               | 2000                     |
| A06125              | RC4 Noize LT Pro    | M-Plate        | 108-66-96    | 173             | 17.5       | 758               | 2100                     |
| A06125              | RC4 Noize LT Pro    | M-Plate        | 109-66-97    | 178             | 18         | 783               | 2150                     |
| A06125              | RC4 Noize LT Pro    | M-Plate        | 109-66-97    | 183             | 19         | 804               | 2250                     |
| A06625              | RC4 Noize ST Pro    | M-Plate        | 116-66-101   | 155             | 12         | 656               | 1900                     |
| A06625              | RC4 Noize ST Pro    | M-Plate        | 116-66-102   | 160             | 13         | 678               | 1970                     |
| A06625              | RC4 Noize ST Pro    | M-Plate        | 118-66-104   | 165             | 13         | 698               | 2030                     |
| A06625              | RC4 Noize ST Pro    | M-Plate        | 120-66-105   | 170             | 13         | 723               | 2100                     |
| A06025              | RC4 Noize LT Black  | Superflex      | 107-66-95    | 168             | 17         | 735               | 2000                     |
| A06025              | RC4 Noize LT Black  | Superflex      | 108-66-96    | 173             | 17.5       | 758               | 2100                     |
| A06025              | RC4 Noize LT Black  | Superflex      | 109-66-97    | 178             | 18         | 783               | 2150                     |
| A06025              | RC4 Noize LT Black  | Superflex      | 109-66-97    | 183             | 19         | 804               | 2250                     |
| A06426              | RC4 Noize LT Yellow | Superflex      | 107-66-95    | 168             | 17         | 735               | 2000                     |
| A06426              | RC4 Noize LT Yellow | Superflex      | 108-66-96    | 173             | 17.5       | 758               | 2100                     |
| A06426              | RC4 Noize LT Yellow | Superflex      | 109-66-97    | 178             | 18         | 783               | 2150                     |
| A06426              | RC4 Noize LT Yellow | Superflex      | 109-66-97    | 183             | 19         | 804               | 2250                     |
| A06525              | RC4 Noize ST Black  | Superflex      | 114-66-99    | 150             | 12         | 633               | 1780                     |
| A06525              | RC4 Noize ST Black  | Superflex      | 116-66-101   | 155             | 12         | 656               | 1880                     |
| A06525              | RC4 Noize ST Black  | Superflex      | 116-66-102   | 160             | 13         | 678               | 1960                     |
| A06525              | RC4 Noize ST Black  | Superflex      | 118-66-104   | 165             | 13         | 698               | 2050                     |
| A06525              | RC4 Noize ST Black  | Superflex      | 120-66-105   | 170             | 13         | 723               | 2100                     |
| A06325              | RC4 Noize ST Yellow | Superflex      | 114-66-99    | 150             | 12         | 633               | 1780                     |
| A06325              | RC4 Noize ST Yellow | Superflex      | 116-66-101   | 155             | 12         | 656               | 1880                     |
| A06325              | RC4 Noize ST Yellow | Superflex      | 116-66-102   | 160             | 13         | 678               | 1960                     |
| A06325              | RC4 Noize ST Yellow | Superflex      | 118-66-104   | 165             | 13         | 698               | 2050                     |
| A06325              | RC4 Noize ST Yellow | Superflex      | 120-66-105   | 170             | 13         | 725               | 2100                     |
| A07726              | RC4 LT              | LYT PR         | 110-68-98    | 161             | 15         | 698               | 1860                     |
| A07726              | RC4 LT              | LYT PR         | 110-68-98    | 168             | 15.5       | 728               | 1980                     |
| A07726              | RC4 LT              | LYT PR         | 112-68-100   | 175             | 16.5       | 764               | 2110                     |
| A07826              | RC4 ST              | LYT PR         | 116-68-105   | 149             | 11         | 647               |                          |
| A07826              | RC4 ST              | LYT PR         | 116-68-105   | 156             | 12         | 678               |                          |
| A07826              | RC4 ST              | LYT PR         | 117-68-105   | 163             | 13         | 716               | 1725                     |
| A07826              | RC4 ST              | LYT PR         | 117-68-105   | 170             | 14         | 748               |                          |
| A15626              | RC4 ST              | LYT PR         | 116-68-105   | 149             | 11         | 647               |                          |
| A15626              | RC4 ST              | LYT PR         | 116-68-105   | 156             | 12         | 678               |                          |
| A15626              | RC4 ST              | LYT PR         | 117-68-105   | 163             | 13         | 716               | 1725                     |
| A15626              | RC4 ST              | LYT PR         | 117-68-105   | 170             | 14         | 748               |                          |
| A07925              | RC4 STI             | Twin Powerrail | 116-68-105   | 149             | 11         | 647               | 1790                     |
| A07925              | RC4 STI             | Twin Powerrail | 116-68-105   | 156             | 12         | 678               | 1840                     |
| A07925              | RC4 STI             | Twin Powerrail | 117-68-105   | 163             | 13         | 716               | 1900                     |
| A07925              | RC4 STI             | Twin Powerrail | 117-68-105   | 170             | 14         | 744               |                          |
| Piste / Allmountain |                     |                |              |                 |            |                   |                          |
| A08026              | The Curv Noize      | M-Plate        | 118-72-103   | 164             | 15         | 714               |                          |
| A08026              | The Curv Noize      | M-Plate        | 118-72-103   | 171             | 16         | 747               |                          |
| A08026              | The Curv Noize      | M-Plate        | 119-72-103   | 178             | 17.5       | 779               | 2270                     |
| A08226              | The Curv Noize DTX  | Superflex      | 118-72-102   | 157             | 14.5       | 682               |                          |
| A08226              | The Curv Noize DTX  | Superflex      | 118-72-103   | 164             | 15         | 714               |                          |
| A08226              | The Curv Noize DTX  | Superflex      | 118-72-103   | 171             | 16         | 747               | 2050                     |

| Item Number | Product              | System plate   | Sidecut (mm) | Ski Length (cm) | Radius (m) | BMP (mm from end) | Weight per piece (g/ski) |
|-------------|----------------------|----------------|--------------|-----------------|------------|-------------------|--------------------------|
| A08426      | The Curv DTI         | LYT PR         | 120-70-100   | 150             | 11         | 638               |                          |
| A08426      | The Curv DTI         | LYT PR         | 120-70-101   | 157             | 12         | 669               |                          |
| A08426      | The Curv DTI         | LYT PR         | 120-70-102   | 164             | 13         | 705               | 1820                     |
| A08426      | The Curv DTI         | LYT PR         | 120-70-102   | 171             | 14         | 734               |                          |
| A15326      | The Curv DTI         | LYT PR         | 120-70-100   | 150             | 11         | 638               |                          |
| A15326      | The Curv DTI         | LYT PR         | 120-70-101   | 157             | 12         | 651               |                          |
| A15326      | The Curv DTI         | LYT PR         | 120-70-102   | 164             | 13         | 705               | 1820                     |
| A08626      | The Curv TI          | Twin Powerrail | 120-70-100   | 150             | 11         | 638               |                          |
| A08626      | The Curv TI          | Twin Powerrail | 120-70-101   | 157             | 12         | 651               |                          |
| A08626      | The Curv TI          | Twin Powerrail | 120-70-102   | 164             | 13         | 705               | 1750                     |
| A08626      | The Curv TI          | Twin Powerrail | 120-70-102   | 171             | 14         | 734               |                          |
| A15426      | The Curv TI          | Twin Powerrail | 120-70-100   | 150             | 11         | 638               |                          |
| A15426      | The Curv TI          | Twin Powerrail | 120-70-101   | 157             | 12         | 651               |                          |
| A15426      | The Curv TI          | Twin Powerrail | 120-70-102   | 164             | 13         | 705               | 1750                     |
| A15426      | The Curv TI          | Twin Powerrail | 120-70-102   | 171             | 14         | 734               |                          |
| A08826      | The Curv Power       | Twin Powerrail | 107-70-97    | 150             | 13         | 637               | 1450                     |
| A08826      | The Curv Power       | Twin Powerrail | 107-71-97    | 155             | 14         | 660               | 1535                     |
| A08826      | The Curv Power       | Twin Powerrail | 108-71-96    | 160             | 15         | 682               | 1620                     |
| A08826      | The Curv Power       | Twin Powerrail | 110-72-100   | 165             | 15         | 705               | 1705                     |
| A09126      | The Curv Noize GT 85 | Superflex      | 132-85-115   | 161             | 13.5       | 695               | 2050                     |
| A09126      | The Curv Noize GT 85 | Superflex      | 132-85-116   | 168             | 14         | 725               | 2130                     |
| A09126      | The Curv Noize GT 85 | Superflex      | 133-85-118   | 175             | 15         | 755               | 2310                     |
| A09326      | The Curv GT 80       | Twin Powerrail | 125-80-107   | 152             | 13         | 659               |                          |
| A09326      | The Curv GT 80       | Twin Powerrail | 127-80-109   | 159             | 13.5       | 687               |                          |
| A09326      | The Curv GT 80       | Twin Powerrail | 128-80-111   | 166             | 14         | 717               |                          |
| A09326      | The Curv GT 80       | Twin Powerrail | 131-80-113   | 173             | 14.5       | 747               | 1950                     |
| A09526      | The Curv GT 76       | Twin Powerrail | 121-76-102   | 152             | 13         | 657               | 1610                     |
| A09526      | The Curv GT 76       | Twin Powerrail | 122-76-106   | 159             | 13.5       | 688               | 1700                     |
| A09526      | The Curv GT 76       | Twin Powerrail | 124-76-107   | 166             | 14         | 718               | 1900                     |
| A09526      | The Curv GT 76       | Twin Powerrail | 125-76-109   | 173             | 14.5       | 748               | 1990                     |
| A16626      | The Curv GT 76       | Twin Powerrail | 121-76-102   | 152             | 13         | 657               | 1610                     |
| A16626      | The Curv GT 76       | Twin Powerrail | 122-76-106   | 159             | 13.5       | 688               | 1700                     |
| A16626      | The Curv GT 76       | Twin Powerrail | 124-76-107   | 166             | 14         | 718               | 1900                     |
| A16626      | The Curv GT 76       | Twin Powerrail | 125-76-109   | 173             | 14.5       | 748               | 1990                     |
| A15725      | Lite 68 TI           | SLR Pro        | 116-68-105   | 149             | 11         | 647               | 1720                     |
| A15725      | Lite 68 TI           | SLR Pro        | 116-68-105   | 156             | 12         | 678               | 1770                     |
| A15725      | Lite 68 TI           | SLR Pro        | 117-68-105   | 163             | 13         | 716               | 1860                     |
| A15025      | Lite 68              | SLR Pro        | 116-68-105   | 142             | 10         | 615               |                          |
| A15025      | Lite 68              | SLR Pro        | 116-68-105   | 149             | 11         | 647               | 1550                     |
| A15025      | Lite 68              | SLR Pro        | 116-68-105   | 156             | 12         | 678               | 1650                     |
| A15025      | Lite 68              | SLR Pro        | 117-68-105   | 163             | 13         | 716               | 1700                     |
| A15526      | Lite 70              | SLR Pro        | 104-70-95    | 145             | 13         | 615               | 1300                     |
| A15526      | Lite 70              | SLR Pro        | 107-70-97    | 150             | 13         | 637               | 1375                     |
| A15526      | Lite 70              | SLR Pro        | 107-71-97    | 155             | 14         | 660               | 1460                     |
| A15526      | Lite 70              | SLR Pro        | 108-71-96    | 160             | 15         | 682               | 1545                     |
| A15225      | Lite 72              | SLR Pro        | 115-73-95    | 140             | 13         | 627               | 1300                     |
| A15225      | Lite 72              | SLR Pro        | 116-73-97    | 145             | 13.5       | 651               | 1350                     |
| A15225      | Lite 72              | SLR Pro        | 117-73-99    | 155             | 14.5       | 701               | 1500                     |
| A15225      | Lite 72              | SLR Pro        | 118-73-100   | 160             | 15         | 726               | 1550                     |
| A30126      | RC Pulse             | SLR Pro        | 116-73-98    | 150             | 14         | 676               | 1400                     |
| A30126      | RC Pulse             | SLR Pro        | 117-73-99    | 155             | 14.5       | 701               | 1500                     |
| A30126      | RC Pulse             | SLR Pro        | 118-73-100   | 160             | 15         | 726               | 1550                     |
| A30126      | RC Pulse             | SLR Pro        | 118-73-101   | 165             | 15.5       | 750               | 1600                     |

| Item Number            | Product    | System plate   | Sidecut (mm) | Ski Length (cm) | Radius (m) | BMP (mm from end) | Weight per piece (g/ski) |
|------------------------|------------|----------------|--------------|-----------------|------------|-------------------|--------------------------|
| A32526                 | RC Comp    | Twin Powerrail | 120-73-101   | 153             | 12.16      | 653               | 1650                     |
| A32526                 | RC Comp    | Twin Powerrail | 121-73-102   | 160             | 13.16      | 688               | 1700                     |
| A32526                 | RC Comp    | Twin Powerrail | 122-73-103   | 167             | 14.17      | 722               | 1800                     |
| A32626                 | RC Lite    | SLR Pro        | 107-70-97    | 150             | 13         | 637               | 1375                     |
| A32626                 | RC Lite    | SLR Pro        | 107-71-97    | 155             | 14         | 660               | 1460                     |
| A32626                 | RC Lite    | SLR Pro        | 108-71-96    | 160             | 15         | 682               | 1545                     |
| A32626                 | RC Lite    | SLR Pro        | 110-72-100   | 165             | 15         | 705               | 1630                     |
| Freeride / Allmountain |            |                |              |                 |            |                   |                          |
| A17426                 | Nothing    |                | 111          | 176             |            | 788               |                          |
| A17426                 | Nothing    |                | 112          | 186             |            | 832               |                          |
| A17426                 | Nothing    |                | 113          | 196             |            | 883               |                          |
| A17024                 | Ranger 108 |                | 141-107-132  | 171             | 16         | 761               | 1850                     |
| A17024                 | Ranger 108 |                | 142-108-133  | 178             | 17         | 788               | 1980                     |
| A17024                 | Ranger 108 |                | 143-109-134  | 185             | 18         | 822               | 2120                     |
| A17024                 | Ranger 108 |                | 143-110-134  | 192             | 19         | 854               | 2230                     |
| A17724                 | Ranger 102 |                | 136-101-126  | 169             | 17         | 738               | 1760                     |
| A17724                 | Ranger 102 |                | 137-102-127  | 176             | 18         | 773               | 1900                     |
| A17724                 | Ranger 102 |                | 138-103-128  | 183             | 19         | 807               | 2050                     |
| A17724                 | Ranger 102 |                | 139-104-129  | 190             | 20         | 847               | 2190                     |
| A16124                 | Ranger 102 |                | 135-100-125  | 162             | 16         | 704               | 1650                     |
| A16124                 | Ranger 102 |                | 136-101-126  | 169             | 17         | 738               | 1760                     |
| A16124                 | Ranger 102 |                | 137-102-127  | 176             | 18         | 773               | 1900                     |
| A16124                 | Ranger 102 |                | 138-103-128  | 183             | 19         | 807               | 2050                     |
| A17124V                | Ranger 96  |                | 128-96-119   | 173             | 17         | 783               | 1850                     |
| A17124V                | Ranger 96  |                | 129-97-120   | 180             | 18         | 817               | 1950                     |
| A17124V                | Ranger 96  |                | 130-98-121   | 187             | 19         | 852               | 2100                     |
| A16224V                | Ranger 96  |                | 126-94-117   | 159             | 15         | 713               | 1610                     |
| A16224V                | Ranger 96  |                | 127-95-118   | 166             | 16         | 748               | 1730                     |
| A16224V                | Ranger 96  |                | 128-96-119   | 173             | 17         | 783               | 1850                     |
| A16224V                | Ranger 96  |                | 129-97-120   | 180             | 18         | 817               | 1950                     |
| A17224                 | Ranger 90  |                | 124-90-114   | 170             | 16         | 768               | 1750                     |
| A17224                 | Ranger 90  |                | 124-90-114   | 177             | 17         | 802               | 1850                     |
| A17224                 | Ranger 90  |                | 125-91-115   | 184             | 18         | 837               | 1950                     |
| A16024                 | Ranger 90  |                | 122-88-112   | 156             | 14         | 698               | 1550                     |
| A16024                 | Ranger 90  |                | 123-89-113   | 163             | 15         | 733               | 1650                     |
| A16024                 | Ranger 90  |                | 124-90-114   | 170             | 16         | 768               | 1750                     |
| A16024                 | Ranger 90  |                | 124-90-114   | 177             | 17         | 802               | 1850                     |
| A17325                 | Ranger 84  |                | 117-84-107   | 167             | 14         | 752               | 1710                     |
| A17325                 | Ranger 84  |                | 119-85-109   | 174             | 15         | 786               | 1850                     |
| A17325                 | Ranger 84  |                | 120-86-110   | 181             | 16         | 821               | 1950                     |
| A16425                 | Ranger 84  |                | 114-82-104   | 153             | 12         | 684               | 1450                     |
| A16425                 | Ranger 84  |                | 115-83-105   | 160             | 13         | 718               | 1600                     |
| A16425                 | Ranger 84  |                | 117-84-107   | 167             | 14         | 752               | 1710                     |
| A16425                 | Ranger 84  |                | 119-85-109   | 174             | 15         | 786               | 1850                     |
| A17624                 | Ranger     |                | 124-86-112   | 142             | 10         | 621               | 1400                     |
| A17624                 | Ranger     |                | 126-88-114   | 152             | 12         | 661               | 1500                     |
| A17624                 | Ranger     |                | 128-90-116   | 162             | 13         | 701               | 1650                     |
| A17624                 | Ranger     |                | 128-92-117   | 172             | 15         | 744               | 1800                     |
| A16324                 | Ranger     |                | 124-86-112   | 142             | 10         | 621               | 1400                     |
| A16324                 | Ranger     |                | 126-88-114   | 152             | 12         | 661               | 1500                     |
| A16324                 | Ranger     |                | 128-90-116   | 162             | 13         | 701               | 1650                     |
| A16324                 | Ranger     |                | 128-92-117   | 172             | 15         | 744               | 1800                     |

| Item Number   | Product               | System plate | Sidecut (mm) | Ski Length (cm) | Radius (m) | BMP (mm from end) | Weight per piece (g/ski) |
|---------------|-----------------------|--------------|--------------|-----------------|------------|-------------------|--------------------------|
| Freestyle     |                       |              |              |                 |            |                   |                          |
| A24425        | Nightstick 104        |              | 137-103-127  | 172             | 18         | 820               | 1820                     |
| A24425        | Nightstick 104        |              | 139-104-129  | 180             | 19         | 860               | 1900                     |
| A24425        | Nightstick 104        |              | 141-105-130  | 188             | 20         | 900               | 2100                     |
| A24225        | Nightstick 97         |              | 129-94-119   | 163             | 15         | 744               | 1650                     |
| A24225        | Nightstick 97         |              | 130-95-120   | 170             | 16         | 778               | 1770                     |
| A24225        | Nightstick 97         |              | 132-96-122   | 177             | 17         | 812               | 1870                     |
| A24225        | Nightstick 97         |              | 132-97-123   | 184             | 18         | 846               | 1950                     |
| A24025        | Nightstick 90         |              | 113-88-111   | 159             | 16         | 764               | 1480                     |
| A24025        | Nightstick 90         |              | 115-89-113   | 168             | 17         | 809               | 1600                     |
| A24025        | Nightstick 90         |              | 117-90-115   | 177             | 18         | 854               | 1720                     |
| A24825        | Nightstick 86         |              | 115-85-105   | 151             | 14         | 719               | 1370                     |
| A24825        | Nightstick 86         |              | 115-85-105   | 159             | 15         | 764               | 1500                     |
| A24825        | Nightstick 86         |              | 116-86-108   | 167             | 16         | 809               | 1650                     |
| A24825        | Nightstick 86         |              | 117-87-109   | 175             | 17         | 854               | 1720                     |
| Tour          |                       |              |              |                 |            |                   |                          |
| A18025        | Transalp RC           |              | 92-64-75     | 151             | 22         | 638               | 625                      |
| A18025        | Transalp RC           |              | 94-64-78     | 161             | 23         | 684               | 675                      |
| A18126        | Transalp 92 CTI Pro   |              | 122-91-108   | 162             | 19         | 730               | 1145                     |
| A18126        | Transalp 92 CTI Pro   |              | 123-92-109   | 169             | 20         | 762               | 1205                     |
| A18126        | Transalp 92 CTI Pro   |              | 124-92-111   | 176             | 21         | 796               | 1260                     |
| A18926        | Transalp 105 CTI      |              | 138-104-124  | 164             | 19         | 712               | 1390                     |
| A18926        | Transalp 105 CTI      |              | 139-105-125  | 171             | 20         | 745               | 1500                     |
| A18926        | Transalp 105 CTI      |              | 139-105-124  | 178             | 22         | 779               | 1540                     |
| A18826        | Transalp 98 CTI       |              | 131-97-116   | 162             | 20         | 717               | 1250                     |
| A18826        | Transalp 98 CTI       |              | 132-98-117   | 169             | 21         | 750               | 1340                     |
| A18826        | Transalp 98 CTI       |              | 133-98-118   | 176             | 22         | 771               | 1410                     |
| A18426        | Transalp 86 CTI       |              | 114-85-101   | 155             | 18         | 685               | 1050                     |
| A18426        | Transalp 86 CTI       |              | 115-85-102   | 162             | 19         | 718               | 1110                     |
| A18426        | Transalp 86 CTI       |              | 116-86-104   | 169             | 20         | 768               | 1190                     |
| A18426        | Transalp 86 CTI       |              | 117-86-105   | 176             | 21         | 804               | 1250                     |
| Junior / Kids |                       |              |              |                 |            |                   |                          |
| A12825        | RC4 Pro               | JRS          | 103-68-92    | 120             | 10         | 502               | 1030                     |
| A12825        | RC4 Pro               | JRS          | 103-69-92    | 130             | 11         | 547               | 1150                     |
| A12825        | RC4 Pro               | JRS          | 106-69-98    | 140             | 11         | 592               | 1250                     |
| A12825        | RC4 Pro               | JRS          | 107-70-97    | 150             | 13         | 637               | 1370                     |
| A12825        | RC4 Pro               | JRS          | 108-71-96    | 160             | 15         | 682               | 1530                     |
| A19325        | RC4 Race Jr (70-90)   | JRS          | 90-65-75     | 070             | 5          | 281               | 450                      |
| A19325        | RC4 Race Jr (70-90)   | JRS          | 92-66-77     | 080             | 6          | 346               | 525                      |
| A19325        | RC4 Race Jr (70-90)   | JRS          | 94-66-79     | 090             | 7          | 369               | 600                      |
| A19426        | RC4 Race Jr (100-120) | JRS          | 98-67-82     | 100             | 8          | 418               | 675                      |
| A19426        | RC4 Race Jr (100-120) | JRS          | 100-67-84    | 110             | 9          | 465               | 750                      |
| A19426        | RC4 Race Jr (100-120) | JRS          | 104-68-86    | 120             | 10         | 501               | 850                      |
| A19526        | RC4 Race Jr (130-150) | JRS          | 106-68-88    | 130             | 11         | 544               | 975                      |
| A19526        | RC4 Race Jr (130-150) | JRS          | 110-69-92    | 140             | 12         | 597               | 1100                     |
| A19526        | RC4 Race Jr (130-150) | JRS          | 110-69-96    | 150             | 13         | 643               | 1250                     |
| A21225        | Ranger Jr. (70-90)    | JRS          | 90-65-75     | 070             | 5          | 281               | 450                      |
| A21225        | Ranger Jr. (70-90)    | JRS          | 92-66-77     | 080             | 6          | 346               | 525                      |
| A21225        | Ranger Jr. (70-90)    | JRS          | 94-66-79     | 090             | 7          | 369               | 600                      |
| A21326        | Ranger Jr. (100-120)  | JRS          | 98-67-82     | 100             | 8          | 418               | 675                      |
| A21326        | Ranger Jr. (100-120)  | JRS          | 100-67-84    | 110             | 9          | 465               | 750                      |
| A21326        | Ranger Jr. (100-120)  | JRS          | 104-68-86    | 120             | 10         | 501               | 850                      |
| A21426        | Ranger Jr. (130-150)  | JRS          | 106-68-88    | 130             | 11         | 544               | 975                      |
| A21426        | Ranger Jr. (130-150)  | JRS          | 110-69-92    | 140             | 12         | 597               | 1100                     |
| A21426        | Ranger Jr. (130-150)  | JRS          | 110-69-96    | 150             | 13         | 643               | 1250                     |